

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/740,468	12/22/2003	Gerald M. Fletcher	117427	3618	
27074 75	90 05/31/2005		EXAMINER		
OLIFF & BER	OLIFF & BERRIDGE, PLC.			NGO, HOANG X	
P.O. BOX 1992 ALEXANDRIA	=		ART UNIT PAPER NUMBER 2852		
	, =====				

DATE MAILED: 05/31/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

			<u>n'</u>
·	Application No.	Applicant(s)	
Supplemental	10/740,468	FLETCHER ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Hoang Ngo	2852	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commeters. This application is	n this application. If not included unication will be mailed in due cour	rse. THIS
1. This communication is responsive to			
2. The allowed claim(s) is/are <u>1-19</u> .			
3. 🖾 The drawings filed on 22 December 2003 are accepted by	the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority un a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give 6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers: 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the depose attached Examiner's comment regarding REQUIREMENT for the such as the depose attached Examiner's comment regarding REQUIREMENT for the such as the depose attached Examiner's comment regarding REQUIREMENT for the such as the depose attached Examiner's comment regarding REQUIREMENT for the such as the depose attached Examiner's comment regarding REQUIREMENT for the such as the depose attached Examiner's comment regarding REQUIREMENT for the such as the depose attached Examiner's comment regarding REQUIREMENT for the such as the such as the application regarding REQUIREMENT for the such as the application regarding regarding requirement for the such as the application regarding regarding regarding regarding r	been received. been received in Application cuments have been received of this communication to file ENT of this application. Itted. Note the attached EX is reason(s) why the oath of the submitted. It be submitted. It is Amendment / Comment of the Amendment / Comment of the header according to 37 C is it of BIOLOGICAL MAT	on No In this national stage application and in this national stage application are a reply complying with the require AMINER'S AMENDMENT or NOTICE of declaration is deficient. W (PTO-948) attached In the Office action of the drawings in the front (not the backer 1.121(d). ERIAL must be submitted. Note	ements CE OF
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/O-Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview S Paper No 8), 7. ☐ Examiner's	nformal Patent Application (PTO-15 Summary (PTO-413), /Mail Date s Amendment/Comment s Statement of Reasons for Allowan ·	

Application/Control Number: 10/740,468

Art Unit: 2852

DETAILED ACTION

Allowable Subject Matter

- 1. Claims 1-19 are allowed.
- 2. The following is an examiner's statement of reasons for allowance:

Claims 1-10:

The primary reasons for allowance are a current density monitor and control system; comprising an electrostatic device that imparts an electrostatic field to a copy substrate, the electrostatic device comprising a current generation unit and a receptor opposite the current generation unit; a current monitoring unit that monitors total dynamic current flowing from the current generation unit to the receptor; an input unit that inputs the width of a copy substrate; a storage unit that stores the constant parameters of the function of voltage applied to the current generation unit versus total dynamic current for the receptor; a controller that determines voltage required to maintain a predetermined charge density in the copy substrate; and a voltage control unit that adjusts the voltage of the current generation unit to the value determined by the controller.

Claims 11-19:

The primary reasons for allowance are a method for current density monitor and control in a copy substrate of an electrostatic device, comprising

Application/Control Number: 10/740,468

Art Unit: 2852

inputting information indicating the width of the copy substrate; determining the voltage required to maintain a desired current density through the copy substrate and a receptor, and applying the determined voltage to the current generation unit to induce current across the copy substrate and receptor.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hoang Ngo whose telephone number is (571) 272-2138. The examiner can normally be reached on 6:00am - 2:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Arthur Grimley can be reached on (571) 272-2136. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Page 4

Application/Control Number: 10/740,468

Art Unit: 2852

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Hoang Ngo

Primary Examiner Art Unit 2852

Hn